

WALL THICK	NESS	AS	SHC	NWC	EXCEPT AS	SHOWN	
DATE	REV			·	DESCRIPTION		BY
03/10/23	2	2 REMOVED ALLOY					
07/16/15	1	1 ADDED ±.029 TOLERANCE.					
EST.AREA	2.2	254		IN. ²	EST.AREA	1453.905	мм.2
EST.WT.	2.7	704		LBS/FT.	EST.WT.	4.024	KG/M.
EST.PER.	16.	330		IN.	EST.PER.	414.782	ММ.
OUT PER.	9.0)32		IN.	OUT PER.	229.4	мм.
C.C.D.	2.8	2.875			C.C.D.	73.025	мм.
FINISH M/F					ALLOY		
CKD BY	FACTOR	6	SCALE	1:1	DWN BY C.P.	DATE 04/08/2	2008

NOTE: BREAK ALL CORNERS WITH 0.015" (.38 MM) RADIUS UNLESS OTHERWISE NOTED. STANDARD TOLERANCES TO APPLY UNLESS OTHERWISE SPECIFIED.

Can Art

ALUMINUM EXTRUSION INC.

85 PARKSHORE DRIVE BRAMPTON, ONT L6T 5M1 TEL. NO. (905) 791-1464 FAX NO. (905) 791-9151 WEB: www.canart.com

THIS DRAWING IS NOT NECESSARILY A COPY OF YOUR ORIGINAL. PLEASE APPROVE DIMENSIONS AND TOLERANCES INDICATED. CAN ART ASSUMES NO RESPONSIBILITY EITHER TECHNICAL OR LEGAL FOR HAVING THIS SHAPE MADE. THE CUSTOMER AGREES TO FULLY PROTECT CAN ART ALUMINUM FROM CLAIMS OF OTHERS RESULTING FROM THIS SHAPE.

SIGNED: _____ DATE: ____