


NOTE: BREAK ALL CORNERS WITH 0.015" (.38 MM) RADIUS UNLESS OTHERWISE NOTED. STANDARD TOLERANCES TO APPLY UNLESS OTHERWISE SPECIFIED.



WALL THICKNESS 0.280 (7.11) EXCEPT AS SHOWN

DATE	REV	DESCRIPTION	BY
03/10/23	2	REMOVED ALLOY	PAUL
07/16/15	1	ADDED ±.066 TOLERANCE.	PAUL

EST.AREA	5.581	IN. ²	EST.AREA	3600.894	MM. ²
EST.WT.	6.586	LBS/FT.	EST.WT.	9.801	KG/M.
EST.PER.	39.867	IN.	EST.PER.	1012.617	MM.
OUT PER.	20.813	IN.	OUT PER.	528.7	MM.
C.C.D.	6.625	IN.	C.C.D.	168.275	MM.
FINISH	M/F		ALLOY		
CKD BY	FACTOR 6	SCALE 1:1	DWN BY P.M.	DATE 04/12/2010	

CAN ART

ALUMINUM EXTRUSION INC.

85 PARKSHORE DRIVE
BRAMPTON, ONT L6T 5M1
TEL. NO. (905) 791-1464
FAX NO. (905) 791-9151
WEB: www.canart.com

THIS DRAWING IS NOT NECESSARILY A COPY OF YOUR ORIGINAL. PLEASE APPROVE DIMENSIONS AND TOLERANCES INDICATED. CAN ART ASSUMES NO RESPONSIBILITY EITHER TECHNICAL OR LEGAL FOR HAVING THIS SHAPE MADE. THE CUSTOMER AGREES TO FULLY PROTECT CAN ART ALUMINUM FROM CLAIMS OF OTHERS RESULTING FROM THIS SHAPE.

SIGNED: _____ DATE: _____