



NOTE: BREAK ALL CORNERS WITH 0.015" (.38 MM) RADIUS UNLESS OTHERWISE NOTED. STANDARD TOLERANCES TO APPLY UNLESS OTHERWISE SPECIFIED.

CUSTOMER PART No.	CUSTOMER	DIE No.
CAN ART OPEN		ES12974
DESCRIPTION	BLADE STOP	PROPOSAL No. S-13071



THIS SHAPE TO FIT w/ ES12377



WALL THICKNESS (AS SHOWN) EXCEPT AS SHOWN

DATE	REV	DESCRIPTION	BY
EST.AREA	0.159	IN. ²	EST.AREA 102.300
EST.WT.	0.187	LBS/FT.	EST.WT. 0.278
EST.PER.	3.531	IN.	EST.PER. 89.694
OUT PER.		IN.	OUT PER.
C.C.D.	0.988	IN.	C.C.D. 25.101
FACTOR	19	FINISH	ANODIZE
		ALLOY & TEMP.	6063
CKD BY	SCALE	DWN BY	DATE
	3:1	P.M.	01/20/2003

CAN ART

ALUMINUM EXTRUSION INC.

85 PARKSHORE DRIVE
BRAMPTON, ONT L6T 5M1
TEL. NO. (905) 791-1464
FAX NO. (905) 791-9151
E-MAIL: canart@canart.com

THIS DRAWING IS NOT NECESSARILY A COPY OF YOUR ORIGINAL. PLEASE APPROVE DIMENSIONS AND TOLERANCES INDICATED. CAN ART ASSUMES NO RESPONSIBILITY EITHER TECHNICAL OR LEGAL FOR HAVING THIS SHAPE MADE. THE CUSTOMER AGREES TO FULLY PROTECT CAN ART ALUMINUM FROM CLAIMS OF OTHERS RESULTING FROM THIS SHAPE.

SIGNED: _____ DATE: _____