

NOTE: BREAK ALL CORNERS WITH 0.015" (.38 MM) RADIUS UNLESS OTHERWISE NOTED. STANDARD TOLERANCES TO APPLY UNLESS OTHERWISE SPECIFIED.

# CAN ART

ALUMINUM EXTRUSION INC.

CUSTOMER

## CAN ART OPEN

DIE No.

ES63350

REV No.

1

DESCRIPTION

CATHODE PLATE


CUSTOMER PART No.

QUOTE No.

L12-0080-4

PROPOSAL No.

S-61468



WALL THICKNESS (AS SHOWN) EXCEPT AS SHOWN

DATE	REV	DESCRIPTION	BY	EST. AREA	4.905	IN <sup>2</sup>	EST. AREA	3164.605	MM <sup>2</sup>
03/30/12	1	REVISED CUST NAME.	PAUL	EST. WT.	5.788	LBS./FT.	EST. WT.	8.614	KG./M.
				EST. PER.	23.244	IN.	EST. PER.	590.409	MM.
				OUT PER.		IN.	OUT PER.		MM.
				C.C.D.	8.639	IN.	C.C.D.	219.443	MM.
				FINISH	M/F		ALLOY	6063-T6	
				OKD BY	FACTOR 4	SCALE 1:1	DWN BY	L.G.	DATE 01/25/2012

THIS DRAWING IS NOT NECESSARILY A COPY OF YOUR ORIGINAL. PLEASE APPROVE DIMENSIONS AND TOLERANCES INDICATED. CAN ART ASSUMES NO RESPONSIBILITY EITHER TECHNICAL OR LEGAL FOR HAVING THIS SHAPE MADE. THE CUSTOMER AGREES TO FULLY PROTECT CAN ART ALUMINUM FROM CLAIMS OF OTHERS RESULTING FROM THIS SHAPE.

SIGNED: \_\_\_\_\_ DATE: \_\_\_\_\_

428 JUTRAS DRIVE S.  
WINDSOR, ON N8N 5C5

TEL. NO. (519) 727-4399  
FAX NO. (519) 727-6434  
WEB: www.canart.com