

WALL THICK	NESS	0.1	25(3	5.18)	EXCEPT AS	SHOWN	
DATE	REV				BY		
03/13/23	1	1 REMOVED ALLOY					
EST.AREA	0.9	08		IN. <sup>2</sup>	EST.AREA	585.490	мм. <sup>2</sup>
EST.WT.	1.C	71		LBS/FT.	EST.WT.	1.594	KG/M.
EST.PER.	14.	643		IN.	EST.PER.	371.930	ММ.
OUT PER.	7.6	577		IN.	OUT PER.	195.0	мм.
C.C.D.	2.6	2.673			C.C.D.	67.886	мм.
FINISH M/F					ALLOY		
CKD BY	FACTOR	14	SCALE	1:1	DWN BY C.P.	DATE 04/	18/2006

NOTE: BREAK ALL CORNERS WITH 0.015" (.38 MM) RADIUS UNLESS OTHERWISE NOTED. STANDARD TOLERANCES TO APPLY UNLESS OTHERWISE SPECIFIED

## Can Art

ALUMINUM EXTRUSION INC.

85 PARKSHORE DRIVE BRAMPTON, ONT L6T 5M1 TEL. NO. (905) 791-1464 FAX NO. (905) 791-9151 WEB: www.canart.com

THIS DRAWING IS NOT NECESSARILY A COPY OF YOUR ORIGINAL. PLEASE APPROVE DIMENSIONS AND TOLERANCES INDICATED. CAN ART ASSUMES NO RESPONSIBILITY EITHER TECHNICAL OR LEGAL FOR HAVING THIS SHAPE MADE. THE CUSTOMER AGREES TO FULLY PROTECT CAN ART ALUMINUM FROM CLAIMS OF OTHERS RESULTING FROM THIS SHAPE.

SIGNED: \_\_\_\_\_ DATE: \_\_\_\_