

WALL THICKNESS		0.1	88(4	.78)	EXCEPT AS	SHOWN		
DATE	REV	REV DESCRIPTION						BY
03/20/23	1	1 REMOVED ALLOY						
EST.AREA	0.6	30		IN. ²	EST.AREA	406	.454	мм. ²
EST.WT.	0.7	' 43		LBS/FT.	EST.WT.	1.10	6	KG/M.
EST.PER.	6.8	887		IN.	EST.PER.	174.	933	мм.
OUT PER.				IN.	OUT PER.			мм.
C.C.D.	2.4	85		IN.	C.C.D.	63.1	16	мм.
FINISH M/F					ALLOY			
CKD BY	FACTOR	9	SCALE	1:1	DWN BY $\mathbf{C}.\mathbf{P}$	DATE	05/12	2/2008

NOTE: BREAK ALL CORNERS WITH 0.015" (.38 MM) RADIUS UNLESS OTHERWISE NOTED. STANDARD TOLERANCES TO APPLY UNLESS OTHERWISE SPECIFIED

Can Art

ALUMINUM EXTRUSION INC.

85 PARKSHORE DRIVE BRAMPTON, ONT L6T 5M1 TEL. NO. (905) 791-1464 FAX NO. (905) 791-9151 WEB: www.canart.com

THIS DRAWING IS NOT NECESSARILY A COPY OF YOUR ORIGINAL. PLEASE APPROVE DIMENSIONS AND TOLERANCES INDICATED. CAN ART ASSUMES NO RESPONSIBILITY EITHER TECHNICAL OR LEGAL FOR HAVING THIS SHAPE MADE. THE CUSTOMER AGREES TO FULLY PROTECT CAN ART ALUMINUM FROM CLAIMS OF OTHERS RESULTING FROM THIS SHAPE.

SIGNED: _____ DATE: ____