

WALL THICKNESS		0.3	375(9	9.53)	EXCEPT AS	SHOWN	
DATE	REV				DESCRIPTION		BY
03/20/23	1			R	REMO√ED ALLOY		
EST.AREA	2.5	514		ın. <sup>2</sup>	EST.AREA	1622.177	мм.2
EST.WT.	3.0	)17		LBS/FT.	EST.WT.	4.490	KG/M.
EST.PER.	13.	813		IN.	EST.PER.	350.858	мм.
OUT PER.				IN.	OUT PER.		мм.
C.C.D.	4.979			IN.	C.C.D.	126.467	мм.
FINISH M/F					ALLOY		
CKD BY	FACTOR	5	SCALE	1:1	DWN BY L.G.	DATE 12/12/	2007

NOTE: BREAK ALL CORNERS WITH 0.015" (.38 MM) RADIUS UNLESS OTHERWISE NOTED. STANDARD TOLERANCES TO APPLY UNLESS OTHERWISE SPECIFIED

## Can Art

ALUMINUM EXTRUSION L.P.

428 JUTRAS DRIVE S. WINDSOR, ON N8N 5C5 TEL. NO. (519) 727-4399 FAX NO. (519) 727-6434 WEB: www.canart.com

THIS DRAWING IS NOT NECESSARILY A COPY OF YOUR ORIGINAL. PLEASE APPROVE DIMENSIONS AND TOLERANCES INDICATED. CAN ART ASSUMES NO RESPONSIBILITY EITHER TECHNICAL OR LEGAL FOR HAVING THIS SHAPE MADE. THE CUSTOMER AGREES TO FULLY PROTECT CAN ART ALUMINUM FROM CLAIMS OF OTHERS RESULTING FROM THIS SHAPE.

SIGNED: \_\_\_\_\_ DATE: \_\_\_\_